

پخش محصولات

HIKVISION
Authorized Distributor



لیست قیمت دوربین ها و دستگاه های ضبط تصاویر **TURBO HD**

OPTIX
IMAGING TECHNOLOGY

تهران، خیابان یوسف آباد، خیابان شهید جهان آرا، خیابان ۳۹، پلاک ۴۰




۰۲۱۸۸۳۵۲۷۲۴

www.agrintech.ir - www.optix.ir

□ HD 720P Turbo HD Series

<p style="text-align: center;">DS-2CE56C0T-IR</p>	<p style="text-align: center;">DS-2CE56C0T-IRM</p>	<p style="text-align: center;">DS-2CE56C0T-IT3</p>	<p style="text-align: center;">DS-2CE56C0T-IT1</p>
			
<p>HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens</p>
<p style="text-align: center;">1.280.000 IRR</p>	<p style="text-align: center;">1.400.000 IRR</p>	<p style="text-align: center;">1.910.000 IRR</p>	<p style="text-align: center;">1.670.000 IRR</p>
<p style="text-align: center;">DS-2CE16C0T-IR</p>	<p style="text-align: center;">DS-2CE16C0T-IT1</p>	<p style="text-align: center;">DS-2CE16C0T-IT3</p>	<p style="text-align: center;">DS-2CE16C0T-IT5</p>
			
<p>HD720p,1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8/3.6/6/8/12/16mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 2 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 3.6/6/8/12/16mm Lens</p>
<p style="text-align: center;">1.400.000 IRR</p>	<p style="text-align: center;">1.670.000 IRR</p>	<p style="text-align: center;">1.910.000 IRR</p>	<p style="text-align: center;">2.080.000 IRR</p>

□ HD 720P Turbo HD Series

DS-2CE56C0T-IRMM	DS-2CE16C2T-VFIR3	DS-2CE56C2T-VFIR3
		
<p>HD720p,1MP CMOS Sensor, 12 pcs IR LEDs, 20m IR, Indoor IR Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, Wide operating temperature range (-40°~60°), 2.8/3.6/6mm Lens</p>	<p>HD720p,1MP CMOS Sensor,42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.01 Lux/ F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8~12mm Lens</p>	<p>HD720p,1MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.01Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40°~60°), 2.8~12mmLens</p>
1.160.000 IRR	3.030.000 IRR	3.030.000 IRR



تهران، خیابان یوسف آباد، خیابان شهید جهان آرا، خیابان ۳۹، پلاک ۴۰

۰۲۱۸۸۳۵۲۷۲۴

www.agrintech.ir - www.optix.ir

□ **DS-7200 Series Turbo HD DVR**

□ **720P**

MODEL	DS-7204HGHI-F1	DS-7208HGHI-F1
Appearance		
Recording Resolution Supported	720P	720P
Description	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1 SATA interface, 1280×720P: 25(P)/30(N)fps/ch, 260 1U case	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 1 SATA interface, 1280×720P: 25(P)/30(N) fps/ch, 260 1U case
Price	3,980,000 IRR	6,370,000 IRR

□ DS-7200 Series Turbo HD DVR □ 720P

MODEL	DS-7208HGHI-F2	DS-7216HGHI-F2
Appearance		
Recording Resolution Supported	720P	720P
Description	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2 SATA interfaces, 1280×720P: 25(P)/30(N) fps/ch 380 1U case	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 2 SATA interfaces, 1280×720P: 25(P)/30(N) fps/ch, 380 1U case
Price	8,520,000 IRR	12,040,000 IRR



تهران، خیابان یوسف آباد، خیابان شهید جهان آرا، خیابان ۳۹، پلاک ۴۰
 ۰۲۱۸۸۳۵۲۷۲۴
www.agrintech.ir - www.optix.ir

□ HD 1080P Entry Level Series

DS-2CE16D0T-IR	DS-2CE56D0T-IR	DS-2CE56D0T-IRM	DS-2CE56D0T-IT1
			
HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	HD1080p,2MP CMOS Sensor, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens
1.790.000 IRR	1.670.000 IRR	1.790.000 IRR	2.120.000 IRR
DS-2CE56D0T-IT3	DS-2CE16D0T-IT1	DS-2CE16D0T-IT3	DS-2CE16D0T-IT5
			
HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 20m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6mm Lens	HD1080p,2MP CMOS Sensor, 2 pcs EXIR LEDs, 40m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens	HD1080p,2MP CMOS Sensor, 4 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 3.6/6/8/12/16mm Lens
2.290.000 IRR	2.120.000 IRR	2.290.000 IRR	2.630.000 IRR

□ WDR HD 1080p Camera

DS-2CE16D1T-VFIR3	DS-2CE56D1T-VFIR3
	
HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens	HD1080p,2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens
3.860.000 IRR	3.800.000 IRR

□ HD 1080p High Level Series

DS-2CE16D7T-IT1	DS-2CE16D7T-IT3	DS-2CE16D7T-IT5	DS-2CE16D7T-IT	DS-2CE16D7T-IT3Z
				
<p>HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6/6/8/12/16mm Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), TrueWDR, IP66, 3.6/6/8/12/16mm Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Varifocal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari -focal Lens</p>
2.910.000 IRR	3.090.000 IRR	3.460.000 IRR	2.610.000 IRR	5.150.000 IRR

□ HD 1080p High Level Series

DS-2CE56D7T-IT3Z	DS-2CE56D7T-ITM	DS-2CE56D7T-IT1	DS-2CE56D7T-IT3
			
<p>HD1080p,2MP CMOS Sensor ,EXIR, 40m IR, Outdoor EXIR Motorized Varifocal Eyeball ,ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax) , True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mm Lens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8/3.6/6mmLens</p>	<p>HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax),TrueWDR, IP66, 3.6/6/8/12/16mm Lens</p>
5.030.000 IRR	2.610.000 IRR	2.790.000 IRR	3.030.000 IRR







تهران، خیابان یوسف آباد، خیابان شهید جهان آرا، خیابان ۳۹، پلاک ۴۰

۰۲۱۸۸۳۵۲۷۲۴



www.agrintech.ir - www.optix.ir

□ DS-7200 Series Turbo HD DVR - **1080 P / 720P**





MODEL	DS-7204HQHI-F1/N	DS-7208HQHI-F1/N
Appearance		
Description	4 Turbo HD/AHD/Analog interface input, 4-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case
Price	5,030,000 IRR	7,790,000 IRR
MODEL	DS-7208HQHI-F2/N	DS-7216HQHI-F2/N
Appearance		
Description	8 Turbo HD/AHD/Analog interface input, 8-ch video&1-ch audio input, 2 SATA interfaces,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, 380 1U case	16 Turbo HD/AHD/Analog interface input, 16-ch video&1-ch audio input, 2 SATA interfaces,1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case

Price	8,830,000 IRR	14,750,000 IRR
--------------	---------------	----------------

□ HD 3MP EXIR Turbo HD Series

DS-2CE16F1T-IT1	DS-2CE16F1T-IT3	DS-2CE16F1T-IT5	DS-2CE16F1T-IT	DS-2CE16F7T-IT3Z
				
3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens	3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Varifocal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), True WDR, IP66, 2.8~12mm Motorized Vari-focal Lens
3.020.000 IRR	3.200.000 IRR	3.580.000 IRR	2.700.000 IRR	7.590.000 IRR

□ HD 3MP EXIR Turbo HD Series

DS-2CE56F1T-IT1	DS-2CE56F1T-IT3	DS-2CE56F1T-ITM	DS-2CE56F7T-IT3Z
			
<p>3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens</p>	<p>3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6/6/8/12/16mm Lens</p>	<p>3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8/3.6/6mm Lens</p>	<p>3MP,3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 2.8~12mm Motorized Varifocal Lens</p>
2.890.000 IRR	3.140.000 IRR	2.700.000 IRR	6.780.000 IRR







تهران، خیابان یوسف آباد، خیابان شهید جهان آرا، خیابان ۳۹، پلاک ۴۰

۰۲۱۸۸۳۵۲۷۲۴

www.agrintech.ir - www.optix.ir

□ **DS-7200 Series Turbo HD DVR**

□ **1080P/3MP/5MP**

MODEL	DS-7204HUHI-F1/N	DS-7208HUHI-F1/N
Appearance		
Description	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input, 1 SATA interface, 5MP: 12fps, 3MP: 15fps, 1920×1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, support CVBS output, standalone 1U case.	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 1 SATA interface, 5MP: 12fps, 3MP: 15fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, standalone 1U case.
Price	7,250,000 IRR	10,900,000 IRR
MODEL	DS-7208HUHI-F2/N	DS-7216HUHI-F2/N
Appearance		
Description	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input, 2 SATA interfaces, 5MP: 12fps, 3MP: 15fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 8/4, support CVBS output, 380 1U case.	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input, 2 SATA interfaces, 5MP: 12fps, 3MP: 15fps, 1920×1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 16/4, support CVBS output, 380 1U case .
Price	12,300,000 IRR	22,320,000 IRR



TURBO **HD**

HIK VISION

OWTIX
IMAGING TECHNOLOGY